


Graph

Notes

Output Created		2008-10-02T15:04:21.000
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	12
Syntax		GRAPH /HISTOGRAM=WMWScore.
Resources	Processor Time	0:00:00.710
	Elapsed Time	0:00:02.000



Mean =108.42
Std. Dev. =10.049
N =12

T-Test

Notes

Output Created	2008-10-02T15:05:00.000
Comments	
Input Active Dataset	DataSet0
Filter	<none>

Notes

Input	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	12
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
Syntax		T-TEST /TESTVAL=100 /MISSING=ANALYSIS /VARIABLES=WMWScore /CRITERIA=CI(.9500).
Resources	Processor Time	0:00:00.065
	Elapsed Time	0:00:00.000

One-Sample Statistics

	N	Mean	Std. Deviation	Std. Error Mean
WMWScore	12	108.4167	10.04950	2.90104

One-Sample Test

	Test Value = 100				
	t	df	Sig. (2-tailed)	Mean Difference	95% Confidence Interval of the Difference
					Lower
WMWScore	2.901	11	.014	8.41667	2.0315

One-Sample Test

	Test Value = 100
	95% Confidence Interval of the Difference
	Upper
WMWScore	14.8018